



pinturas de la peña  
fábrica de pinturas

## SUPER C/7®

High Quality Matt Acrylic Paint for Interior-Exterior

Page 1 de 3

Matt acrylic paint SUPER C/7 is formulated with emulsions of the most advanced technology and quality. Together with its other raw materials, they form a product of high performance, hardness and perfect whiteness and high opacity, because of its abundance of dioxide of titanium. It provides good resistance to weather and rub, due to its optimal % of emulsion.

Matt acrylic paint SUPER C/7 has great flexibility, good adhesion and resistance to the alkalinity of the cement. It is permeable to interior vapour and waterproof to the exterior ones. It has great covering power, granting a perfect finish.

PAINT WITH FIRE REACTION CERTIFICATE **B-S1,D0** ACCORDING TO NORM 13501-1:2007 + A1:2010 - THE BEST CLASSIFICATION.

### Features

Color	White
Finish	Silky matt
Specific weight	1,64 +/- 0,05 gr./cc.
Viscosity at time of packaging	115 K.U.+/- 5 at 25° C
Fixed matter %	69 % +/- 2
Volume solids %	42 % +/- 2
Gardner washability/PVC 21 days	> 5000 ddp
Wet abrasion resistance (ISO 13300)	Class 2 ≥ 5 and < 20 micras at 200 scrubs
Performance	8 - 10 m <sup>2</sup> /kg per coat and depending on the state of the surface
Dry film recommended thickness	50-60 micras per coat
Wet film recommended thickness	24-28 micras per coat
Dry-to-touch time	40 - 60 minutes
Curing time	21 days
Recoat	4 - 8 hours minimum, maximum without limit
Thin with	Clean water
Presentation	1 kg, 5 kg, 10 kg and 23 kg cans
Conservation	Keep away from extreme temperatures
VOC's	Cat A/a (legal limit 30 g/l). Maximum content 25 g/l



### Application

Product indicated both for exterior and interior. It can be used on concrete, plaster, brick, stone, etc. It can be applied by brush, roller or sprayed. Surfaces to be painted must be clean and dry. Do not apply when air and surface temperatures are below 5° C or above 35° C.

### Composition

Water, water-borne copolymer vinyl emulsion, titanium dioxide, calcium carbonates and other fillers specially selected for this product.

### PAINT WITH CERTIFICATE OF APPROVAL BY GEOCISA LABORATORIES



Distribuidor Oficial de:

*Notice: This information is based on the current condition of our knowledge, and is of general character. It describes our products and orientates the user on its application and employment. Due to the big variety, use conditions and supports it must think neither as base or guarantee nor object of responsibility.*

[www.delapenia.com](http://www.delapenia.com)

Factory and offices



Trofeo  
CC100  
Compromiso  
a la Calidad

Ctra. Orgaz, s/n  
Apdo. 25  
45400 Mora ( Toledo )

t: +34 925 300 409  
f: +34 925 341 082  
e: [info@delapenia.com](mailto:info@delapenia.com)



Master  
Internacional  
de Empresas



pinturas de la peña  
fábrica de pinturas

# SUPER C/7®

High Quality Matt Acrylic Paint for Interior-Exterior

Page 2 de 3

**Suitable for domestic use. Keep out of reach of children.**

### Cautions

- P101 If medical advice is needed, have product container or label at hand.  
 P102 Keep out of reach of children.  
 P103 Read label before use.  
 P501 Dispose of contents and / or their container according to the separated collection system used in your municipality.

EUH208 Contains 2-octyl-2H-isothiazon-3-one. Mixture of: 5-chloro-2-methyl-2H-isothiazolin-3-one [EC no. 247 500-7]; 2-methyl.2H-isothiazol-3-one [EC no. 220-239-6] (3:1). May produce an allergic reaction.

*According to Royal Decree 363/1995 (Directive 67/548/EEC) and Royal Decree 255/2003 (Directive 1999/45/EC), this is not classified as a dangerous product. Safety data sheet available for professional user on request.*



Distribuidor Oficial de:

**FESTOOL**

*Notice: This information is based on the current condition of our knowledge, and is of general character. It describes our products and orientates the user on it application and employment. Due to the big variety, use conditions and supports it must think neither as base or guarantee nor object of responsibility.*

**[www.delapenia.com](http://www.delapenia.com)**

**Factory and offices**



Trofeo  
CC100  
Compromiso  
a la Calidad

*Ctra. Orgaz, s/n  
Apdo. 25  
45400 Mora ( Toledo )*

*t: +34 925 300 409  
f: +34 925 341 082  
e: [info@delapenia.com](mailto:info@delapenia.com)*

Master  
Internacional  
de Empresas





pinturas de la peña  
fábrica de pinturas

## SUPER C/7®

High Quality Matt Acrylic Paint for Interior-Exterior

Page 3 de 3



Distribuidor Oficial de:

*Notice: This information is based on the current condition of our knowledge, and is of general character. It describes our products and orientates the user on its application and employment. Due to the big variety, use conditions and supports it must think neither as base or guarantee nor object of responsibility.*

**[www.delapenia.com](http://www.delapenia.com)**

**Factory and offices**



Trofeo  
CC100  
Compromiso  
a la Calidad

Ctra. Orgaz, s/n  
Apdo. 25  
45400 Mora ( Toledo )

t: +34 925 300 409  
f: +34 925 341 082  
e: [info@delapenia.com](mailto:info@delapenia.com)

Master  
Internacional  
de Empresas

